



11596-25

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Romeo DePlazes

Application No.: 10/804,888

Group Art Unit: 3629

Filed: March 18, 2004

Examiner: Michael J. Fisher

For: METHOD AND SYSTEM FOR MAINTENANCE OF AN ELEVATOR OR
ESCALATOR INSTALLATION

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT/SUBMISSION

Sir:

In response to the Office Action of February 22, 2008, please amend the above-identified application as follows:

CONTINGENT EXTENSION REQUEST

If this communication is filed after the shortened statutory time period had elapsed and no separate Petition is enclosed, the Commissioner of Patents and Trademarks is petitioned, under 37 C.F.R. § 1.136(a), to extend the time for filing a response to the outstanding Office Action by the number of months which will avoid abandonment under 37 C.F.R. § 1.135. The fee under 37 C.F.R. § 1.17, as well as any other fees required at this time, should be charged to our Deposit Account No. 06-2143.

SUMMARY OF AMENDMENTS

1. ____ If checked, an abstract (an amended abstract) is submitted herewith.
2. ____ If checked, amendment(s) to the drawings are submitted herewith.
3. ____ If checked, amendment(s) to the specification are submitted herewith.
4. X If checked, amendments to the claims are submitted herewith.